
CCLRD

Camp and Center Lakes Rehabilitation District



Dean Hintzman, Chairman
Tom O'Brien, Secretary
Charles Walker, Treasurer
Dennis Faber, Commissioner, Town Of Salem
Doug Hughes, Commissioner, Kenosha County

December 1, 2008

Mr. Craig Helker
DNR Water Resources Biologist
Sturtevant Service Center
9531 Rayne Road, Suite 4
Sturtevant, WI 53177

Dear Mr. Helker,

The following is the information required as a condition for the Camp, Center Lake Rehabilitation District Aquatic Harvesting Permit approved on May 31, 2006.

Starting and ending harvesting dates:

Starting date: June 4, 2008

Ending date: October 13, 2008

Map of harvesting areas:

(See Exhibit I), Maps of Camp and Center Lakes identifying the harvesting areas on each lake, also see Exhibit 9 and Exhibit 11 contained in the May 31, 2006 "Aquatic Plant Management Plan for Camp and Center Lakes" outlining the approximate 150 harvest acres.

Total acreage of the lake (s) that was harvested
Harvesting was conducted in the approximately 150 areas found in Exhibit 9 and Exhibit 11 contained in the May 31, 2006 "Aquatic Plant Management Plan for Camp and Center Lakes" and that are referenced in the permit approval letter dated June 1, 2006 by Mr. Craig Helker, DNR Water Resources Biologist under and in "FINDING OF FACTS # 5. The total harvesting area is approximately 150 acres".

CCLRD

Camp and Center Lakes Rehabilitation District



Dean Hintzman, Chairman
Tom O'Brien, Secretary
Charles Walker, Treasurer
Dennis Faber, Commissioner, Town Of Salem
Doug Hughes, Commissioner, Kenosha County

Total amount of plant material removed

(See Exhibit II), 2008 Harvesting Recap

Types of plants harvested by area

(See Exhibit II) 2008 Harvesting Recap

Note:

Eurasian Milfoil and Widgeon Grass were the only two species that were tabulated. Coontail, Northern Water Milfoil, Sago Pondweed and Eel Grass were other species that were identified however; the quantity of these species harvested was undeterminable because they were mixed in with the Eurasian Milfoil and Widgeon Grass.

Annual cost:

2007: \$ 66,755.67

2008: \$ 65,036.21


- Special Note: The total 2008 harvesting work day season was for 93 days. We started on June, 4th and concluded on October, 13th however because of the June flood, other rain days, equipment repair and a lack of weed growth in July and August there were 38 days we did not work. In other words, we harvested only 60% of the season. In conclusion, it is my opinion that the 2008 season can be considered as one of the most successful for increasing the recreation opportunities and re-establishing native plant growth in both lakes. Our shore line and open lake chemical program has also resulted in not only a significant reduction in harvest loads in those areas but an excellent re-growth of the native wild celery plant that is recognized as one of the most valuable food sourced for waterfowl and fish habitat.

Best regards,

Dennis Faber
C.C.L.R.D. Harvesting Operations Manager

CAMP LAKE HARVESTING LOCATION MAP

EXHIBIT I (Camp Lake)



CENTER LAKE HARVESTING MAP

EXHIBIT I (Center Lake)




EXHIBIT II**CAMP LAKE
TRUCK LOAD SUMMARY
BY AQUATIC SPECIES**

Location:	CA 1	CA 2	CA 3	CA 4	CA 5	CA 6	CA 7	TOTAL
-----------	------	------	------	------	------	------	------	-------

MILFOIL:

Year: 2002	60.7	75.05	91.1	15.3	170.3	96.8	26.3	535.55
2003	52.5	84.5	66.5	16.7	174.8	47.5	21.3	463.80
2004	1.5	8.4	2	3.2	13.8	22	24.8	75.7
2005	36.3	16.05	7.7	27.7	251.6	32	6.8	378.2
2006	4	8	4.75	11.8	156.9	3.6	5.8	194.9
2007	8.2	0	1.4	2.2	307.8	5.2	1	325.8
2008	.3	.8	1.2	3.6	144.7	2.1	11	163.75

WIDGEON GRASS:

Year 2002	9.3	21.4	16.9	2.7	20.7	23.7	5.7	100.4
2003	13.95	39	43.85	10.3	65.4	27.5	6.7	206.7
2004	1.5	2.4	0	.8	2.2	6.3	15.3	28.5
2005	32.5	6	18.3	16.8	153.4	33.8	12.8	273.6
2006	33.25	2.5	20.75	4.2	114.8	8.6	5	189.1
2007	9	0	.4	.5	110.9	4.8	1	126.6
2008	2.7	.2	.8	3.4	131.3	3.3	7.5	149.1

CAMP LAKE TOTAL TRUCKS MILFOIL & WIDGEON GRASS:

Year 2002	70	96.45	108	18	191	120.5	32	635.95
2003	66.45	123.5	110.35	27	240.2	75	28	670.5
2004	3	10.8	2	4	16	28.3	40.1	104.2
2005	68.7	22.5	26	44	405	65.8	19.5	651.5

2006	37.4	10.5	25.5	16	271.7	12.1	10.6	384
2007	17.2	0	1.8	2.7	418.7	20	2	452.4
2008	3	1	2	6.9	276	5.5	18.5	312.9

**CENTER LAKE
TRUCK LOAD SUMMARY
BY AQUATIC SPECIES**

Location:	CE 1	CE 2	CE 3	CE 4	CE 5	CE 6	CE 7	TOTAL
-----------	------	------	------	------	------	------	------	-------

MILFOIL:

Year: 2002	23.75	11.3	5.875	1.8	9.45	23.9	7.2	83.275
2003	26.45	13	13.4	10.75	8.2	23.1	5.4	100.3
2004	30.8	8.3	9.1	14.9	4.2	54.7	39.9	161.9
2005	64.9	7	4.3	5.3	13.3	19.5	20	134.3
2006	23.4	13	1.5	.75	4.9	2.9	2.8	49.25
2007	3.25	0	0	0	1.5	3.2	3.5	11.45
2008	30.3	.4	1.8	3.75	1.5	3.5	1.4	42.6

WIDGEON GRASS & OTHER SPECIES:

Year: 2002	3.25	1.2	.625	.2	1.05	4.1	.8	11.225
2003	5.55	2	2.1	2.25	1.3	12.4	1.6	27.2
2004	7.2	4.7	1.9	3.1	.8	22.3	13.1	53.1
2005	5.1	2	2.3	.2	2.7	7.05	0	19.4
2006	.1	0	0	.25	.6	2.1	1.3	4.35
2007	3.75	0	0	0	0	5	2.5	11.25
2008	7.2	1.2	.2	.3	1.5	3	.2	13.6

CENTER LAKE TOTAL TRUCKS MILFOIL, WIDGEON GRASS & OTHER SPECIES:

Year: 2002	27	12.5	6.5	2	10.5	28	8	94.5
2003	32	15	15.5	13	9.5	35.5	7	127.5

2004	38	13	11	18	5	77	53	215
2005	70	9	6.6	6	16	26.6	20	154.2
2006	23.5	13	1.5	1	5.5	5	4.1	53.6
2007	7	0	0	0	1.5	8.2	6	22.7
2008	37.5	1.5	2	4	3	6.5	1.6	56.1

**TOTAL
CAMP, CENTER LAKE
TRUCK LOAD SUMMARY
BY AQUATIC SPECIES**

TRUCKS:

MILFOIL:

Year: 2002	618.825	
2003	564.1	- 9% less than 2002 or 54.7 less truck loads than 2002
2004	237.6	- 58% less than 2003 or 326.5 less truck loads than 2003
2005	512.5	+116% more than 2004 or 274.5 more trucks than 2004
2006	244.1	- 52% less than 2005 or 268.4 less trucks than 2005
2007	337.25	+ 38% more than 2006 or 93.2 more trucks than 2006
2008	206.3	- 39% less than 2007 or 131 less trucks than 2007

WIDGEON GRASS:

Year: 2002	111.625	
2003	233.9	+110% more than 2002 or 122 more truck loads than 2002
2004	81.6	- 65% less than 2003 or 152.3 less truck loads than 2003
2005	293.	+258% more than 2004 or 211 more truck loads than 2004
2006	193.4	- 34% less than 2005 or 99.6 less truck loads than 2005
2007	137.85	- 29% less than 2006 or 55.6 less truck loads than 2006
2008	162.7	+ 18% more than 2007 or 24.9 more trucks than 2007

TOTAL TRUCKS MILFOIL & WIDGEON GRASS:

Year: 2002	730.45	
2003	798	+ 9% more than 2002 or 67.6 more truck loads than 2002
2004	319.2	- 60% less than 2003 or 479 less truck loads than 2003
2005	805.5	+152% more than 2004 or 485.6 more truck loads than 2004
2006	437.6	- 45% less than 2005 or 367.9 less truck loads than 2005
2007	475.1	+ 9% more than 2006 or 37.5 more truck loads than 2006
2008	369	- 22% less than 2007 or 106 less truck loads than 2007

**CAMP LAKE
TONNAGE SUMMARY
BY AQUATIC SPECIES**

Location:	CA 1	CA 2	CA 3	CA 4	CA 5	CA 6	CA 7	TOTAL
-----------	------	------	------	------	------	------	------	-------

MILFOIL TONNAGE:

Year: 2002	242.8	300.2	364.4	61.2	681.2	387.2	105.2	2,142.2
2003	210	338	266	66.8	699.2	190	85.2	1,855.2
2004	6	33.8	8	12.8	55.2	88	99.2	302.8
2005	145	64.2	30.8	110.8	1,006.5	127.8	27	1,512
2006	16	32	19	47.2	627.6	14.4	23.2	779.4
2007	32.8	0	5.6	8.8	1,251.2	20.8	4	1,303.2
2008	1.2	3.2	4.8	14.4	578.8	8.4	44	655

WIDGEON GRASS TONNAGE:

Year: 2002	37.2	85.6	67.6	10.8	82.8	94.8	22.8	401.6
2003	55.8	156	175.4	41.2	261.6	110	26.8	826.8
2004	6	9.6	0	3.2	8.8	25.2	61.2	114
2005	130	23.8	73.2	67	613.6	135.2	51	1,093.8
2006	133	10	83	16.8	459.2	34.4	30	636.7

2007	36	0	1.6	2	443.6	19.2	4	506.4
2008	10.8	.8	3.2	13.6	525.2	13.2	30	596.4

CAMP LAKE TOTAL TONNAGE MILFOIL & WIDGEON GRASS:

Year: 2002	280	385.8	432	72	764	482	128	2,543.8
2003	265.8	494	441.4	108	960.8	300	112	2,682
2004	12	43.2	8	16	64	113.2	160.4	416.8
2005	275	88	104	177.8	1,620.1	263	78	2,605.8
2006	149.6	42	102	64	1,086.8	48.4	42.4	1,536
2007	68.8	0	7.2	10.8	1,674.8	40	8	1,810
2008	12	4	8	28	1,104	21.6	74	1,251.4

**CENTER LAKE
TONNAGE SUMMARY
BY AQUATIC SPECIES**

Location:	CE 1	CE 2	CE 3	CE 4	CE 5	CE 6	CE 7	TOTAL
-----------	------	------	------	------	------	------	------	-------

MILFOIL TONNAGE:

Year: 2002	95	45.2	23.5	7.2	37.8	95.6	28.8	333.1
2003	105.8	52	53.6	43	32.8	92.4	21.6	401.2
2004	123.2	33.2	36.4	59.6	16.8	218.8	159.6	647.6
2005	259.4	28	17	21.2	53.2	77.8	79.8	536.4
2006	93.6	52	6	3	19.6	11.6	11.2	197
2007	13	0	0	0	6	12.8	14	45.8
2008	121.2	1.6	7.2	15	6	14	5.6	170.4

WIDGEON GRASS & OTHER SPECIES TONNAGE:

Year: 2002	13	4.8	2.5	.8	4.2	16.4	3.2	44.9
2003	22.2	8	8.4	9	5.2	49.6	6.4	108.8
2004	28.8	18.8	7.6	12.4	3.2	89.2	52.4	212.4

2005	20.4	7.8	9	.8	10.8	28.2	0	77.0
2006	.4	0	0	1	2.4	8.4	5.2	17.4
2007	15	0	0	0	0	20	10	45
2008	28.8	4.8	.8	10	6	12	.8	54.4

CENTER LAKE TOTAL TONNAGE MILFOIL, WIDGEON GRASS & OTHER SPECIES:

Year: 2002	108	50	26	8	42	112	32	378
2003	128	60	62	52	38	142	28	510
2004	152	52	44	72	20	308	212	860
2005	279.8	35.8	26	22	64	106	79.8	613.4
2006	94	52	6	4	22	20	16.4	214.4
2007	28	0	0	0	6	32.8	24	90.8
2008	150	6	8	16	12	26	6.4	224.4

**TOTAL
CAMP, CENTER LAKE
TONNAGE SUMMARY
BY AQUATIC SPECIES**

TONNAGE:

MILFOIL:

Year: 2002	2,475.3	
2003	2,256.4	- 9% or 218.9 tons less than 2002
2004	950.4	- 58% or 1,306 tons less than 2003
2005	2,048.5	+ 116% or 1,098.1 tons more than 2004
2006	976.4	- 52% or 1,072.1 tons less than 2005
2007	1,349	+ 38% or 372.6 tons more than 2006
2008	825.4	- 39% or 523.6 tons less than 2007

WIDGEON GRASS & OTHER SPECIES:

Year: 2002	446.5	
2003	935.6	+ 109% or 489.1 tons more than 2002
2004	326.4	- 65% or 609.2 tons less than 2003
2005	1,170.8	+ 259% or 844.4 tons more than 2004
2006	773.6	- 34% or 397.2 tons less than 2005
2007	551.4	- 29% or 222.2 tons less than 2006
2008	650.8	+ 18% or 99.4 tons more than 2007

TOTAL TONNAGE MILFOIL, WIDGEON GRASS & OTHER SPECIES:

Year: 2002	2921.8	
2003	3,192	+ 9% or 270.2 tons more than 2002
2004	1,276.8	- 60% or 1,915.2 tons less than 2003
2005	3,219.3	+ 152% or 1,942.5 tons more than 2004
2006	1,750.4	- 46% or 1,468.9 tons less than 2005
2007	1,900.4	+ 9% or 150 tons more than 2006
2008	1,476.2	- 22% or 424.2 tons less than 2007